

## INSTALLATION INSTRUCTIONS

Thank you for purchasing genuine Design Engineering, Inc. products. Be sure to always wear the proper safety equipment when installing any DEI product. Design Engineering Inc. WILL NOT BE HELD LIABLE FOR IMPROPER INSTALLATION OR USE OF THIS PRODUCT. Please follow all instructions provided. If you are unsure of any installation procedure, please contact a certified technician.

**DESCRIPTION:** 2019 - UP 170" EXT WB  
Damping Kit Less Floor

**KIT CONTENTS:**  
Pre-Cut Damping Material

**TOOLS NEEDED:**

Cleaner & Degreaser  
Rags/Towels  
Tools for interior panel removal

**SAFETY:**

Safety glasses  
Gloves

**NOTE OF CAUTION:** Wear eye and hand protection when installing all materials. Use cleaners or degreasers in a well ventilated area

**NOTE OF CAUTION:** Edges of damping material can be sharp. PLEASE wear hand protection and use caution when installing damping material.

**INSTALLATION TIP:** This product contains many pieces. There may be multiple pieces that are the same shape and part number, and go in multiple locations. We suggest laying out all pieces before you install them to get a good overview of where each piece goes and which you have multiples of.

# DRIVER SIDE WALL

## PLACEMENT OF DAMPING MATERIAL


STEP 1: Clean surfaces to make sure they are free of dirt, grease or contaminants. Peel the release liner off of damping material and press firmly in place by hand. (\*\*Be careful as the edges of the damping material can be sharp) Then take roller and roll material to ensure good adhesion.

← REAR OF VEHICLE

FRONT OF VEHICLE →

ROOF


FLOOR



# PASSENGER SIDE WALL

## PLACEMENT OF DAMPING MATERIAL

STEP 1: Clean surfaces to make sure they are free of dirt, grease or contaminants. Peel the release liner off of damping material and press firmly in place by hand. (\*\*Be carefull as the edges of the damping material can be sharp) Then take roller and roll material to ensure good adhesion.




# ROOF

## PLACEMENT OF DAMPING MATERIAL

STEP 1: Clean surfaces to make sure they are free of dirt, grease or contaminants. Peel the release liner off of damping material and press firmly in place by hand. (\*\*Be careful as the edges of the damping material can be sharp) Then take roller and roll material to ensure good adhesion.



### PASSENGER SIDE




### DRIVER SIDE

# REAR DOORS

## PLACEMENT OF DAMPING MATERIAL

STEP 1: Clean surfaces to make sure they are free of dirt, grease or contaminants. Peel the release liner off of damping material and press firmly in place by hand. (\*\*Be carefull as the edges of the damping material can be sharp) Then take roller and roll material to ensure good adhesion.

**PASSENGER SIDE**



**DRIVER SIDE**

